


dimensions in millimetres

# CORNER PROFILE GLC1

## The most important features:

- excellent heat dissipation
- designed and manufactured in Poland
- cover made of polycarbonate – UV & heat resistant

## Application:

- decorative and lighting installations
- beam angle 45°
- precise backlight of details
- installation: stairs

## Specifications

| | |
|---|---|
| **Available colours** | silver, white, black |
| **Material** | anodized aluminium |
| **Application** | standard corner |
| **LED strips width** | up to 12 mm |
| **Basic length** | 1000 mm |
| **Additional lengths** | 2020 mm, 3000 mm, 4150 mm |
| **Beam angle** | 45° |

## LED Corner Profile GLC1

| Product code | Product description |
|---|---|
| FIX-GLC1-xx-1M | LED Surface Profile SU2 |
| FIX-COV-ML-PVC-1000 | LED profile Cover PCV milky |
| FIX-GLC1-xx-EC | End cap (now wire hole) |
| FIX-GLC1-xx-Eco | End cap (with wire hole) |

*xx - AS - silver andoda, WL - white, BL - black

## LED profile GLC1 covers

Cover PCV milky | Cover PCV transparent | Cover PC frost professional | Cover PC milky professional | Cover PC transparent professional

## Accessories GLC1 LED

black | silver | white | black | silver | white

### Easy cover assembly

Thanks to the use of a semi-circular cover slot, the installation is trouble-free, and disassembly does not damage the cover.

### Heat dissipation

The ribbed base provides much more efficient heat dissipation than in traditional profiles.



### Paint

In addition to anodized profiles (silver, inox stainless steel, black), in the case of wholesale orders, it is possible to order powder coated profiles in any color from the RAL palette.

### Even more light

The innovative method for cover assembly we have developed ensures maximum use of the space inside the profile. Thanks to this, we have minimized the diffraction phenomenon, leaving much more space for light.