

EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.





# **PM-2/30V**

Order No.: 0290610

## **PRODUCTINFOS**

## Moving coil panel meter

- With mirror scale
- All-plastic housing
- Quality class 2
- Zero point correction
- Prewired for illumination
- Measuring range: 30 V

For illumination purposes, these panel meters can subsequently be fitted with two LEDs with series resistor.

#### **Manufacturer information:**

MONACOR INTERNATIONAL GmbH & Co. KG Zum Falsch 36 28307 Bremen Germany info@monacor.com



## **Safety Notes and Warning Messages**

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).

If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

## **TECHNICAL SPECIFICATIONS**

#### PM-2/30V

Measuring range 30 VInternal resistance  $30 \text{ k}\Omega$ 

Dimensions display 60.3 x 46.3 mm

Mounting cutout Ø 37.5 mm

Mounting depth 23 mm

PM-2/30V

EAN code 4007754020564

Net weight 0.043 kg