

EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.



1630-2/1630-2 FC Earth Ground Clamp

∆∆Warning

To prevent possible electrical shock, fire, or personal injuread the "1630-2/1630-2 FC Safety Information" before you use this Product.

(i) Consult user documentation.

Go to www.fluke.com to register your product and find more information.

Install Fluke Connect® App












FLUKE Be ready with measurement data. With the Fluke Connect® Measurements app, you can save equipment measurements to the cloud and share them or reference them at any time. Connect with your team using Fluke Connect® wireless tools and the Fluke Connect Measurement app.


For more information about Fluke Connect, contact us at 844-427-2296 or visit www.flukeconnect.com.

PN 4830595 October 2016 © 2016 Fluke Corporation. All rights reserved.


Wireless Radio Setup







Clamp Functions



Power ON/OFF



>20 m (no use) = Auto-Off

2 Function Switch



Toggle between Current and Resistance function.


3 Setup




- Log interval
- Alarm threshold
- Time
- Clamp settings

For complete instructions go to www.fluke.com to view or download the users manual.









Hold the displayed value



Backlight Auto-Off Setup



until **b**[: shows



When on,

>2 m (no use) = Backlight Auto-Off


to confirm

1. \bigcirc Measurement Mode


Measurements

Ground Resistance


Ground resistance measurements principle:



Equivalent circuit diagram:





AC Leakage Current





Load Current





Insert only one of the wires through the jaws

Standard Loop Resistance

