



HESTORE.HU

elektronikai alkatrész áruház

EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.

Mounting bracket PDS-STN

Ref. C24190N00

Ref. arch 24190

- High mechanical and weather resistance

APPLICATION


- for mounting LED lighting fixtures

MOUNTING

- to the surface, using a properly selected screw
- to the lighting fixture, with hooks
- easy installation and deinstallation of lighting fixtures by snapping in and out



TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

| | |
|----------|-----------------|
| Material | stainless steel |
| Color | ■ silver |
| Width | 16.8 mm |

| | |
|------------------|--------|
| Height | 9.5 mm |
| Lifting capacity | 5 kg |

Mounting bracket PDS-STN

Ref. C24190N00

Ref. arch 24190

RELATED PROFILES > ARCHITECTURAL



REGULATOR

A18068

Ref. arch B468+43

RELATED PROFILES > UNIVERSAL



45-16

A08504

Ref. arch B8504



MICRO-ALU

A01888

Ref. arch B1888



MICRO-PLUS

A02966

Ref. arch C2966



PDS-4-PLUS

A01263

Ref. arch C1263



TAMI

A05390

Ref. arch B5390



TAPO

A01919

Ref. arch C1919